

## FEATURES & COMMAND CODES [How to Remail]

(For example: to reply to email number 26, type: **26 reply**) In this Manual we are using number **12** as an example

Command:		What it does:	Example :	Notes:
	more	Shows you the next part of the message	12 <b>more</b>	<b>more:</b> You can also get a few parts by using the command <b>more 2</b> or any number up to 5 at once <b>more 5</b>
	reply	Replies to the email	12 reply thanks	<b>reply:</b> You can <b>Reply to All</b> (if email was sent to more people) by using <b>replyall</b> instead of reply
1	send	Compose a new email	send abc@gmail.com Hello	<b>send:</b> Create a subject by adding a <b>p</b> between the subject and body like this: <b>send</b> abc@gmail.com Subject Here <b>P</b> Your Text Here
	fwd	Forwards the email	12 fwd abc@email.com	<b>fwd:</b> To add words to the email just write them after the email address like this: 12 <b>fwd</b> abc@gmail.com Your Text Here
	blacklist	Ignore future messages from this sender	12 blacklist	<b>blacklist:</b> To remove from blacklist, you can just send 12 <b>unblacklist</b> or <b>unblacklist</b> abc@gmail.com
	files	Get attachment information	12 <b>files</b>	<b>attachment:</b> If the email has <b>files</b> the number of attached files will always be displayed in the beginning of the message
$\otimes$	stop	Stops the ReMail service	stop	<b>stop:</b> when you get to your office send <b>stop</b>
Ċ	start	Retarts the ReMail service	start	start: when you leave your office send start
	save	Saves an email address to a nickname	12 <b>save</b> john	<b>Save:</b> You will find it convenient to set names to the contacts you often use, so you can then write for example <b>send</b> john Hello you can also save names by typing <b>Save</b> abc@gmail.com john